


Commercial Grade


Metal Shell Lampholders

Specifications and Features


- Phenolic interior with aluminum screwshell
- 2-Circuit lampholders operate dual-filament lamps in sequence of Low-Medium-High-Off
- Cat. No. 7070 (2-Circuit, 3-Terminal) is wired in series with keyless lampholder




9346



7090



7080



95110

METAL SHELL LAMP HOLDERS

Medium Base, Choice of Finishes*

Description	Rating	Cat. No.
Key—Electrolier; Single Circuit; 1/8 IPS Tapped Bushing w/Set Screw	250W 250V	9346
Removable Turn Knob—Electrolier; Single Circuit; 1/8 IPS Tapped Bushing w/Set Screw	250W 250V	10083-16
Removable Turn Knob—Electrolier; 2-Circuit; 3 Terminal; 1/8 IPS Tapped Bushing less Set Screw	250W 250V	7070
Removable Turn Knob—Electrolier; 2-Circuit; 1/8 IPS Tapped Bushing	250W 250V	7090
Pull Chain—Electrolier; Single Circuit; 1/8 IPS Tapped Bushing w/Set Screws	660W 250V	19980
Push Through—Electrolier; Single Circuit; 1/8 IPS Tapped Bushing w/Set Screw	660W 250V	7080
Keyless—Electrolier; Single Circuit; 1/8 IPS Tapped Bushing w/Set Screw	660W 250V	8004
Keyless—Short Electrolier; Single Circuit; 1/8 IPS Tapped Bushing w/Set Screw	660W 250V	9347

INTERIORS

Medium Base, Phenolic Body, Aluminum Screw Shell†

Lampholder	Cat. No. Interior†
19980	19980-M†
10083-16	10083-M†
7070	7070-M†
7090	7090-M†
9346	9346-M†
6098	7080-M†
8004	8004-M†

BROWN PHENOLIC CAP AND SHELL LAMP HOLDERS

Two-Piece, Medium Base Electrolier Interiors

Description	Rating	Cat. No.	Interiors†
Pull Cord (nylon); 2-Circuit, 1/8 IPS Threaded Cap w/Set Screw	250W 250V	97092	7092-2M†
Push-Through; 1/8 IPS Threaded Cap w/Set Screw	660W 250V	95110	7080-M†
Keyless; 1/8 IPS Threaded Cap w/Set Screw		95080	8004-M†

* FINISH: A suffix must be added to each basic catalog number to indicate the finish desired. For Polished Gilt/Brass finish, add -PG; for Unfinished Aluminum, add -AL; for Polished Aluminum, add -NI (finishes on aluminum). For bright dip/Brass, add -BR (finish on brass). CONSULT LEVITON REPRESENTATIVE FOR AVAILABILITY OF FINISHES.

† UL Recognized component.
NOM Certified except where indicated by †.