

# AV SOLUTIONS | Multimedia Outlet System (MOS)

## MULTIMEDIA OUTLET SYSTEM (MOS)

The innovative Multimedia Outlet System (MOS) consists of a surface-mount box and single- and dual-gang wallplates that accept a variety of copper, fiber, and AV connectors. The system is ideal for multimedia applications in conference rooms, training rooms, classrooms, auditoriums, and other areas.



- Front-load installation ensures simple moves, adds, and changes
- Modules are available in 0.5, 1, 1.5, 2, and 3-unit high sizes
- Accommodates a combination of QuickPort® connectors and larger AV components such as 3-port composite/component RCA and HD-15 connectors
- Large Surface-Mount Box accepts 3 modules (1-unit high only)
- Wallplates accept 3-units high total
- New Surface-Mount Housing (pictured below) accepts one 1-unit high module and is plenum rated for use in air handling environments



**Plenum Rated**  
MOS Housing


### TRAINING VIDEOS



Watch the training videos at [Leviton.com/ns/videos](http://Leviton.com/ns/videos): "Enhanced MOS RCA Module Installation" and "Enhanced MOS VGAModule Installation."


## QUICKPORT & MOS COMPATIBILITY

The highly flexible front-loading Multimedia Outlet System (MOS) and QuickPort® Solutions work together to provide hundreds of possible configurations. Select MOS, MOS and QuickPort, or QuickPort only configurations. Blank inserts are also available to create a finished look when building in extra capacity for future growth. For more information about configuring your MOS installation, visit [Leviton.com/MOS](http://Leviton.com/MOS).



## MOS MODULES WILL ALSO WORK WITH DECORA® WALLPLATES

Just snap one-unit high modules into Decora inserts.



See page B66 for the complete line of fiber adapters.



A



B



C

## IN-WALL SPEAKERS

- Straight-Line Signal Path™ (SSP) crossover network for minimal signal distortion
- JBL® titanium-laminate drivers, pure titanium tweeter, and polymer-coated aluminum woofers maintain musical accuracy and clarity, even at frequency extremes
- Low-diffraction, swivel-tweeter mounting system of optimum stereo imaging

## SHELF-MOUNT CENTER CHANNEL SPEAKER

- Straight-Line Signal Path (SSP) crossover network for minimal signal distortion
- Dual 5" JBL PolyPlas cone woofers
- FreeFlow flared port for increased bass response without added port noise

## SUBWOOFER

- JBL PolyPlas™ woofer for low frequencies
- High-efficiency, high-current switching amplifier
- FreeFlow flared port for increased bass response without added port noise
- Built-in technologies allow simple adjustment for room acoustics and personal preference
- LFE and line level inputs for maximum connection flexibility

### LEVITON ARCHITECTURAL EDITION® POWERED BY JBL HOME THEATER SPEAKERS

DESCRIPTION	PART NO.
<b>[A]</b> Dual 5" Two-Way In-Wall Center Channel Home Theater Loudspeakers, 120 watts, 8 ohms	AEI55-000
<b>[B]</b> Dual-Channel Two-Way Shelf-Mounted Center Channel Loudspeaker, silver grill, 75 watts / 300 watts, 8 ohms	AECCS-VCE
<b>[C]</b> Powered 12" Subwoofer w/ amplifier, silver grill, 400 watts RMS, 700 watts peak, 8 ohms	AESUB-012
Pre-Construction Kit, in-wall center channel shelf for use with AEI55-000	AEPI5-KIT