


**GB EXCLUSIVE! Powr House™ Conduit Fishing Systems**

For 1/2" to 6" conduit.

- Completely self-contained with no electrical power source required. Use 50 lb cylinder as source for refilling smaller cylinders (requires RV5 refill connector).
- Quick, easy setup.
- Metered operating valve controls CO<sub>2</sub> volume to minimize waste and maximize safety.
- Locking pull ring prevents accidental discharge.
- 1" tank thread.
- Specifications: 840 psi @ 70 °F.

Accessories included with JO225LC



| Part #  | Description   | Weight  |
|---------|---|---------|
| JO225LC | Powr House™ Conduit Fishing System without CO <sub>2</sub> Cylinder | 40 lbs  |
| 950     | 50 lb CO <sub>2</sub> Cylinder (full) (JO250 only)                  | 161 lbs |
| 1208    | 20 lb CO <sub>2</sub> Cylinder (full) (JO220 only)                  | 58 lbs  |



**JO225LC & 950**  
 (50 lb Cylinder)



**JO225LC & 1208**  
 (20 lb Cylinder)



**JO225LC Powr House™**  
**CO<sub>2</sub> System w/o Cylinder**

Contents Included in JO225LC:

| Part #  | Description                                       | Weight  | I.D. # | Part # | Description                          | Weight | I.D. # |
|---------|---|---------|--------|--------|--------------------------------------|--------|--------|
| 1105A*  | 12" Valve Assembly with hose                      | 3.6 lbs | 1      | FC1    | Foam Line Carrier for 1/2" conduit   | .1 lb  | 13     |
| 1215    | Seal-off for 1/2" - 1" conduit with 2' hose       | .4 lb   | 2      | FC2    | Foam Line Carrier for 3/4" conduit   | .1 lb  | 14     |
| 1142    | Angle Adapter (for 1215 Seal-off)                 | .1 lb   | 3      | FC3    | Foam Line Carrier for 1" conduit     | .1 lb  | 15     |
| 1216    | Seal-off for 1 1/4" - 2 1/2" conduit with 2' hose | .8 lb   | 4      | FC4    | Foam Line Carrier for 1 1/4" conduit | .1 lb  | 16     |
| 1206    | Seal-off for 1 1/2" - 6" conduit                  | 5.2 lbs | 5      | FC5    | Foam Line Carrier for 1 1/2" conduit | .1 lb  | 17     |
| LP2150  | (10) 150' Line Pkgs for 1/2" conduit              | 1.3 lbs | 6      | FC6    | Foam Line Carrier for 2" conduit     | .1 lb  | 18     |
| LP3300  | (10) 300' Line Pkgs for 3/4" conduit              | 1.1 lbs | 8      | FC7    | Foam Line Carrier for 2 1/2" conduit | .1 lb  | 19     |
| LP4300  | (5) 300' Line Pkgs for 1" conduit                 | 1.1 lbs | 9      | FC8    | Foam Line Carrier for 3" conduit     | .1 lb  | 20     |
| LP2206T | (3) 400' Line Pkgs for 1 1/4" or larger conduit   | .6 lb   | 10     | FC9    | Foam Line Carrier for 3 1/2" conduit | .1 lb  | 21     |
| LP2207T | (3) 800' Line Pkgs for 1 1/4" or larger conduit   | .6 lb   | 11     | FC10   | Foam Line Carrier for 4" conduit     | .1 lb  | 22     |
| LP2208T | (3) 600' Line Pkgs for 1 1/4" or larger conduit   | .9 lb   | 12     | FC11   | Foam Line Carrier for 5" conduit     | .1 lb  | NS     |
|         |   |         |        | FC12   | Foam Line Carrier for 6" conduit     | .1 lb  | NS     |

\*Order UG121112 for hose and coupling assembly.

NS=Not Shown

## Powr-Pak I™ 5-lb Portable System

For 1/2" to 2 1/2" conduit.

- Exclusive from Gardner Bender.
- Lightweight, portable system requires no electrical power.
- Metered operating valve controls volume, preventing waste.
- 5 lb cylinder can be refilled from larger cylinder using #RV5 refill connector.
- Locking pull ring prevents accidental discharge.
- 3/4" NGA tank thread.
- Specifications: 840 psi @ 70 °F.



| Part # | Description  | Weight |
|--------|--|--------|
| J025   | Powr-Pak I™ Portable CO <sub>2</sub> Conduit Fishing System                | 16 lbs |
| J025A  | Powr-Pak I™ Portable CO <sub>2</sub> Conduit Fishing System w/out Cylinder | 10 lbs |

### System Includes:

| Part # | Description   | Weight | I.D. # | Part # | Description                          | Weight  | I.D. # |
|--------|---|--------|--------|--------|--------------------------------------|---------|--------|
| 1103N  | 5-lb-capacity CO <sub>2</sub> Cylinder w/valve (full) | 18 lbs | 1      | LP2150 | (10) 150' Line Pkgs for 1/2" conduit | 1.3 lbs | 11     |
| 1102*  | Shoulder Strap  | .4 lb  | 2      | LP3300 | (5) 300' Line Pkgs for 3/4" conduit  | .8 lb   | 12     |
| 1215   | 2' hose seal-off for 1/2" - 1" conduit                | .4 lb  | 4      | LP4300 | (5) 300' Line Pkgs for 1" conduit    | 1.1 lbs | 13     |
| 1142   | Angle Adapter (for 1215 Seal-off)                     | .1 lb  | 5      | LP1701 | 1000' Nylon Bulk Line                | 1 lb    | 14     |
| 1216   | 2' hose seal-off for 1 1/4" - 2 1/2" conduit          | .8 lb  | 6      | LP1702 | 2000' Nylon Bulk Line                | 1 lb    | 15     |
| RV5    | Refill Connector (with 1137 Cone)                     | .8 lb  | 7      |        |                                      |         |        |
| FC1    | (5) Foam Line Carriers for 1/2" conduit               | .1 lb  | 8      |        |                                      |         |        |

\* Not sold separately.

## CO<sub>2</sub> Refill Connector

Connection for refilling CO<sub>2</sub> cylinders.

- Flexible urethane hose with quick disconnects.
- Saves time.



| Part # | Description                               | Weight |
|--------|---|--------|
| RV5    | CO <sub>2</sub> Cylinder Refill Connector | .8 lb  |

## Foam Line Carriers

For 1/2" to 6" conduit.

- Cleans water and debris from most conduit – rigid, EMT, IMC, PVC or flexible.
- Durable for indefinite re-use.

| Part # | Qty   | Description                          | Weight |
|--------|-------|--------------------------------------|--------|
| FC1    | 10/bx | Foam Line Carrier for 1/2" conduit   | .3 lb  |
| FC2    | 10/bx | Foam Line Carrier for 3/4" conduit   | .3 lb  |
| FC3    | 10/bx | Foam Line Carrier for 1" conduit     | .4 lb  |
| FC4    | 10/bx | Foam Line Carrier for 1 1/4" conduit | .4 lb  |
| FC5    | 5/bx  | Foam Line Carrier for 1 1/2" conduit | .3 lb  |
| FC6    | 5/bx  | Foam Line Carrier for 2" conduit     | .4 lb  |
| FC7    | 5/bx  | Foam Line Carrier for 2 1/2" conduit | .6 lb  |
| FC8    | 5/bx  | Foam Line Carrier for 3" conduit     | .6 lb  |
| FC9    | 2/bx  | Foam Line Carrier for 3 1/2" conduit | .5 lb  |
| FC10   | 2/bx  | Foam Line Carrier for 4" conduit     | .6 lb  |
| FC11   | 2/bx  | Foam Line Carrier for 5" conduit     | .8 lb  |
| FC12   | 2/bx  | Foam Line Carrier for 6" conduit     | .8 lb  |



## Power Saver™ Line Packages

For 1/2" to 1" conduit.

- Carrier and pull line included in a single, handy package. Line is dispensed smoothly and quickly as line carrier moves through conduit.
- No knots to tie, no foam carriers to retrieve.
- Color coded packages indicate line diameter.



| Part # | Qty   | Description                                | Length | Color  | Breaking Strength | Weight |
|--------|-------|--|--------|--------|-------------------|--------|
| LP2150 | 50/bx | Power Saver™ Line Package for 1/2" conduit | 150'   | Red    | 17 lbs            | .8 lb  |
| LP3300 | 25/bx | Power Saver™ Line Package for 3/4" conduit | 300'   | Yellow | 17 lbs            | .8 lb  |
| LP3450 | 25/bx | Power Saver™ Line Package for 3/4" conduit | 450'   | Yellow | 17 lbs            | .8 lb  |
| LP4300 | 25/bx | Power Saver™ Line Package for 1" conduit   | 300'   | White  | 17 lbs            | .8 lb  |
| LP4450 | 25/bx | Power Saver™ Line Package for 1" conduit   | 450'   | White  | 17 lbs            | .8 lb  |

## Tag-Along™ Line Packages

For 1 1/4" to 6" conduit.

- Handles longer runs with less energy.
- Line is dispensed as package moves through conduit attached to line carrier.
- Works with foam or inflatable line carriers.
- While supplies last.



| Part #  | Qty   | Description                  | Length | Breaking Strength | Weight  |
|---------|-------|------------------------------|--------|-------------------|---------|
| LP2206T | 10/bx | Tag-Along™ Pull Line Package | 400'   | 22 lbs            | .6 lb   |
| LP2207T | 10/bx | Tag-Along™ Pull Line Package | 800'   | 22 lbs            | 1.1 lbs |
| LP2208T | 10/bx | Tag-Along™ Pull Line Package | 600'   | 22 lbs            | .9 lb   |