

Wall Plates Types, Finishes and Configurations



P8
Smooth Nylon



P1G
Smooth Nylon



HPS1WA
Smooth Nylon



P1X
Smooth Nylon



P1B
Smooth Nylon



P1R
Smooth Nylon



SPJ26
Smooth Nylon



S1
Stainless Steel



B1
Solid Brass



CH8
Chrome Plated Steel



BP1
Brass Plated Steel



A1
Aluminum



PJ8C
Premarked Nylon



IGP8
Premarked Nylon



S8MEV
Premarked Stainless Steel

Actual product may vary from photos shown above.



Only The Best Materials

Hubbell offers a wide variety of configurations available in high-impact nylon and metal wall plates. In 1981, Hubbell was the first manufacturer to introduce nylon wall plates. Hubbell only offers plastic plates made of a high-impact material and does not offer wall plates made of materials that may be subject to breakage in abusive environments.

Hubbell offers only the best grade of stainless steel type 302/304, which is 18% chromium, 8% nickel, and non-magnetic providing superior corrosion resistance versus type 430 stainless steel. When you specify Hubbell wall plates you can be assured of the highest quality materials providing extended life in the most abusive environments.

High-Impact Smooth Nylon

For Commercial, Institutional, Hospital and Industrial Applications.

- High-impact resistance limits access to live parts due to breakage.
- Contemporary smooth finish and contoured edges enhance installation appearance.
- Captive screw feature holds mounting screw in place for quick and easy installation.
- Positive “Bow” feature assures flush installation.
- Self-extinguishing nylon material.
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance.
- Highly resistant to solvents and cleaning solutions providing long life in the harshest environments.
- Non-conductive material.

Smooth Metal 302/304 Super Stainless Steel

18% Chromium, 8% Nickel

For Commercial, Institutional, Hospital and Industrial Applications.

- Provides extended life in abusive and corrosive environments.
- Contemporary smooth finish and contoured edges enhance installation appearance.
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance.
- Satin finish hides fingerprint marks.
- Non-magnetic for static-free requirements.

Smooth Solid Brass, Anodized Aluminum and Metallic Plated Steel

For Commercial, Institutional and Industrial Applications.

Smooth Solid Brass

- Provides a plush appearance and durability of metal.
- Finish is coated to inhibit oxidation.

Smooth Solid Anodized Aluminum

- Non-magnetic and corrosion resistant providing suitability for a wide range of applications.
- Finish is coated to inhibit oxidation.

Metallic Plated Steel

- Available in a choice of chrome and brass finishes.

Custom Metal Wall Plates






Hubbell offers 40 custom configurations available in 5 metal finishes from 2-gang up to and including 8-gang configurations. These custom openings can be configured in any combination to meet your specific requirements.

Wall Plates




Nylon and Metal Wall Plates



Duplex Receptacle Plates

Configuration	Smooth High-Impact Nylon				Plated Steel, Smooth		Stainless Steel (S/S) Brass Anodized Aluminum	
	Color	Standard	Mid-Size					
 1-Gang, 1 Duplex Receptacle.	Ivory	P8	PJ8	Chrome	CH8	S/S Smooth	S8	
	White	P8W	PJ8W	Brass	BP8	S/S Beveled	97101	
	Brown	P8X	PJ8X	—	—	Brass Smooth	B8	
	Gray	P8G	PJ8G	—	—	Alum. Smooth	A8	
	Office White	P8OW	PJ8OW	—	—	—	—	
	Black	P8B	—	—	—	—	—	
	Red	P8R	PJ8R	—	—	—	—	
	Orange	P8OR	—	—	—	—	—	
 2-Gang, 2 Duplex Receptacles.	Ivory	P82	PJ82	Chrome	CH82	S/S Smooth	S82	
	White	P82W	PJ82W	Brass	BP82	Brass Smooth	B82	
	Brown	P82X	PJ82X	—	—	Alum. Smooth	A82	
	Gray	P82G	—	—	—	—	—	
	Office White	P82OW	PJ82OW	—	—	—	—	
	Black	P82B	—	—	—	—	—	
	Red	P82R	PJ82R	—	—	—	—	
	Orange	P82O	—	—	—	—	—	
 3-Gang, 3 Duplex Receptacles.	—	—	—	Chrome	①	S/S Smooth	S83	
	—	—	—	Brass	BP83	Brass Smooth	①	
	—	—	—	—	—	Alum. Smooth	①	
	—	—	—	—	—	—	—	
 4-Gang, 4 Duplex Receptacles.	—	—	—	Chrome	①	S/S Smooth	S84	
	—	—	—	Brass	①	Brass Smooth	①	
	—	—	—	—	—	Alum. Smooth	①	
	—	—	—	—	—	—	—	
 2-Gang, 1 Duplex Receptacle.	—	—	—	—	—	S/S Smooth	S748	
	—	—	—	—	—	—	—	

GFCI, Surge Receptacles and Style Line® Device Plates

Configuration	Smooth High-Impact Nylon				Plated Steel, Smooth		Stainless Steel (S/S) Brass Anodized Aluminum	
	Color	Standard	Mid-Size					
 1-Gang, 1 Rectangular Device.	Ivory	HPS11	PJ26	Chrome	CH26	S/S Smooth	S26	
	White	HPS1WA	PJ26W	Brass	BP26	Brass Smooth	B26	
	Brown	HPS1	PJ26X	—	—	Alum. Smooth	①	
	Gray	HPS1GY	PJ26G	—	—	—	—	
	Office White	HPS1OW	PJ26OW	—	—	—	—	
	Black	HPS1B	—	—	—	—	—	
	Red	HPS1R	PJ26R	—	—	—	—	
	Blue	—	SPJ26	—	—	—	—	
 2-Gang, 2 Rectangular Devices.	Ivory	HPS21	PJ262	Chrome	CH262	S/S Smooth	S262	
	White	HPS2WA	—	Brass	BP262	Brass Smooth	B262	
	Brown	HPS2	PJ262X	—	—	Alum. Smooth	①	
	Gray	HPS2GY	—	—	—	—	—	
	Office White	HPS2OW	PJ262OW	—	—	—	—	
	Black	HPS2B	—	—	—	—	—	
 3-Gang, 3 Rectangular Devices.	Ivory	HPS31	—	Chrome	①	S/S Smooth	S263	
	White	HPS3WA	—	Brass	BP263	Brass Smooth	B263	
	Brown	HPS3	—	—	—	Alum. Smooth	①	
	Gray	HPS3GY	—	—	—	—	—	
	Office White	HPS3OW	—	—	—	—	—	
	Black	HPS3B	—	—	—	—	—	

① Available as custom wall plate. See pages K-29 to K-34.
 Consult custom wall plate section for additional openings and combinations.

Dimensions in Inches (mm)

