

FLOOR BOX SYSTEMS

Quick Selection Guide

Wiremold® Floor Boxes are TopGuard protected to meet and exceed the UL scrub water exclusion requirement.



On-Grade Floor Boxes for Concrete Floors

PVC BOXES

Box Model	Box Type	Service Capability	Box Capacity	Box Construction	Depth Behind Device Plates	KO Sizes	Cover Model	Cover Construction	Cover & Flange Part Nos.	Notes
Ratchet-Pro 881	Round	Single	1 Gang	PVC	1 3/4" [44mm]	1" Trade Size	Metal, Polycarbonate	Tile, Carpet	895, 896	Flush Devices, On-Grade or Above-Grade
Ratchet-Pro RPNFB	Round	Dual	2 Gangs	PVC	3 1/2" [89mm]	3/4" - 2"	Die-Cast Aluminum	Tile, Carpet	RPAV3CTC, RP7CTC, RPAMD4CTC, RPAMD8CTC, RP4FFCTC, RP9AM2CTC	Surface Devices, On-Grade or Above-Grade
Modulink 880MP2	Rectangular	Single	1 Gang	PVC	1 3/4" [44mm]	1/2" - 2" Trade Size	Metal, Polycarbonate	Tile, Carpet	817, 818, 828, 829, 830 Series	Flush Devices, On-Grade or Above-Grade
Modulink 880MP2	Rectangular	Single	2 or 3 Gangs	PVC	1 3/4" [44mm]	1/2" - 2" Trade Size	Metal, Polycarbonate	Tile, Carpet	827, 828, 829, 830, 837, 838 Series	Flush Devices, On-Grade or Above-Grade

EPOXY PAINTED METAL & CAST IRON BOXES

Box Model	Box Type	Service Capability	Box Capacity	Box Construction	Depth Behind Device Plates	KO Sizes	Cover Model	Cover Construction	Cover & Flange Part Nos.	Notes
Ratchet-Pro RPSFB-0G	Round	Dual	2 Gangs	PVC	3 1/2" [89mm]	3/4" - 2"	Die-Cast Aluminum	Tile, Carpet	RPAV3CTC, RP7CTC, RPAMD4CTC, RPAMD8CTC, RP4FFCTC, RP9AM2CTC	Surface Devices, On-Grade or Above-Grade
RFB Series RFB2-0G	Rectangular	Triple	2 Gangs	Steel	3" [76mm]	3/4" - 1 1/4" Trade Size	FloorPort™ Die-Cast Aluminum	Tile, Carpet, Wood, Terrazzo	FPCT, FPBT, FPFPT Series	Recessed Devices, Fully Adjustable
RFB Series RFB4-C1-1	Rectangular	Dual	4 Gangs	Cast Iron	2" [51mm]	1" - 1 1/4" Trade Size	FloorPort™ Die-Cast Aluminum	Tile, Carpet	FPCT, FPBT, FPFPT Series	Recessed Devices, Fully Adjustable
RFB Series RFB4E-0G	Rectangular	Triple	4 Gangs	Steel	3 1/2" [89mm]	3/4" - 2" Trade Size	Evolution Round Poke-Thru Cover	Tile, Carpet, Wood, Terrazzo, Bare Concrete	6CT Series	Recessed Devices, Fully Adjustable
RFB Series RFB6-0G	Rectangular	Triple	6 Gangs	Steel	3 1/4" [83mm]	3/4" - 1 1/4" Trade Size	FloorPort™ Die-Cast Aluminum	Tile, Carpet, Wood, Terrazzo	FPCT, FPBT, FPFPT Series	Recessed Devices, Fully Adjustable
RFB Series RFB6E-0G	Rectangular	Triple	6 Gangs	Steel	3 1/4" [83mm]	3/4" - 1 1/4" Trade Size	Evolution™ Round Poke-Thru Cover	Tile, Carpet, Wood, Terrazzo, Bare Concrete	8CT Series	Recessed Devices, Fully Adjustable
RFB Series RFB9-0G	Rectangular	Triple	9 Gangs	Steel	2 1/2" [64mm]	3/4" - 1 1/4" Trade Size	Die-Cast Aluminum	Tile, Carpet, Wood, Terrazzo	RFB119CTC, RFB119BTC	Recessed Devices, Fully Adjustable
RFB Series RFB11-0G	Rectangular	Triple	11 Gangs	Steel	2 1/2" [64mm]	3/4" - 2" Trade Size	Die-Cast Aluminum	Tile, Carpet, Wood, Terrazzo	RFB119CTC, RFB119BTC	Recessed Devices, Fully Adjustable
Evolution Series EFB6S-0G	Rectangular	Triple	6 Gangs	Steel	3 7/8" [98mm]	3/4" - 2" Trade Size	Evolution Rectangular Die-Cast Aluminum	Tile, Carpet, Wood, Terrazzo, Polished Concrete	EFB610CTC, EFB610BTC, EFB610BT, EFB610CT	Removable Modules, Standard Size Device Plates

NOTE: Most Wiremold floor boxes and accessories are listed by Underwriters Laboratories Inc., and comply with Federal Specifications W-C-583b in one of the following types and classes: Type I-Fully adjustable, Type II-Semi-adjustable, Type III-Non-adjustable, Class 1-Watertight, Class 2-Concrete-tight.

FLOORPORT™ SERIES

Wiremold products bearing the TopGuard Protection logo meet or exceed the UL scrub water exclusion requirement.



FloorPort Service Fittings for Resource RFB® Series Floor Boxes, Walkercell® Cellular Raceway, and Walkerdeck Systems provide flexibility in recessed and furniture feed applications.

CODE REFERENCE

cULus Listed Metallic Outlet Boxes:
File E2961, Guide QCIT

cULus Listed Outlet Boxes & Fittings Classified for Fire Resistance:
File R8209, Guide CEYY

Meets Article 341.40, 314.41 & 374 of NEC



New FloorPort™ Series Cover Assemblies feature a **full 180° opening cover** with a **new recessed handle** for easier opening and new **cable egress openings** that protect cabling while holding them securely in place.



SERVICE FITTINGS & ACTIVATION ACCESSORIES

COLOR OPTIONS



FloorPort Series Service Fittings are available in aluminum, black, brass, bronze, gray and nickel as indicated in the part number description.

FLOORPORT™ SERIES

FloorPort™ Series Flanged Cover Plates Ordering Information

Floorport Part Number Configurator


FloorPort Series:	Cover Style:	Top Style:	Cover Color:
	Blank Top = B	Tile (flangeless) = T	Brushed Aluminum = AL
	Cutout Top = C	Tile/Carpet (flanged) = TC	Black = BK
	Furniture Feed = FF		Brass = BS
			Bronze = BZ
			Gray = GY
			Nickel = NK

Load Capacities for FloorPort Cover Assemblies

CATALOG NUMBERS	MAXIMUM LOAD IN POUNDS
FPCTC	1000
FPBTC	750
FPFFT	1000


NOTE: Load applied through a 2" [51mm] mandrel in center of service fitting. Loads above are static loads only and do not pertain to rolling loads.

FPCTC Cutout Cover Assembly




FPCTCBK, FPCTCBZ, FPCTCBS, FPCTCNK, FPCTCGY, FPCTCAL
 Flanged cover for use in tile or carpet installation. Die-cast aluminum assembly available in black, bronze, brass, nickel, gray or brushed aluminum. Insert in lid allows for carpet or tile cutouts to match finished floor.

FPFFTC Furniture Feed Cover Assembly



FPFFTCBK, FPFFTCBZ, FPFFTCBS, FPFFTCNK, FPFFTCGY, FPFFTCAL
 Flanged cover for use in tile or carpet installation. Die-cast aluminum assembly available in black, bronze, brass, nickel, gray or brushed aluminum. Provided with one 1" trade size screw plug for power or communication type cabling and one combination 1 1/4" and 2" trade size screw plug for communication type cabling. Allows for feeding both power and communication cabling.


FPBTC Blank Cover Assembly



FPBTCBK, FPBTCBZ, FPBTCBS, FPBTCNK, FPBTCGY, FPBTCAL
 Flanged cover for use in tile or carpet installation. Die-cast aluminum assembly available in black, bronze, brass, nickel, gray, or brushed aluminum. Lid area is flush with the finished floor, no cutouts provided.


FloorPort™ Series Flangeless Cover Assemblies Ordering Information

FPCT Cutout Cover Assembly




FPCTCBK, FPCTCBZ, FPCTCBS, FPCTCNK, FPCTCGY, FPCTCAL
 Flangeless cover for use in tile or carpet installations. Die-cast aluminum assembly available in black, bronze, brass, nickel, gray, or brushed aluminum. Insert in lid allows for carpet or tile cutouts to match finished floor.

FPFFT Furniture Feed Cover Assembly



FPFFTCBK, FPFFTCBZ, FPFFTCBS, FPFFTCNK, FPFFTCGY, FPFFTCAL
 Flangeless cover for use in tile or carpet installation. Die-cast aluminum assembly available in black, bronze, brass, nickel, gray, or brushed aluminum. Provided with one 1" trade size screw plug for power or communication type cabling and one combination 1 1/4" and 2" trade size screw plug for communication type cabling. Allows for feeding both power and communication cabling.


FPBT Blank Cover Assembly




FPBTCBK, FPBTCBZ, FPBTCBS, FPBTCNK, FPBTCGY, FPBTCAL
 Flangeless cover for use in tile or carpet installation. Die-cast aluminum assembly available in black, bronze, brass, nickel, gray, or brushed aluminum. Lid area is flush with the finished floor, no cutouts provided.

WALKERFLEX® MODULAR WIRING SYSTEM


Prewired Raised Floor Boxes (continued)

CRFBCTC Surface Style Cover Assembly


Available in die cast aluminum with a painted black (CRFBCTCBK), brass (CRFBCTCBS), nickel (CRFBCTCNK), bronze (CRFBCTCBZ) or gray (CRFBCTCGY) finish. Insert areas allow for tile or carpet cutouts to match finished floor.

CRFBBTCTR
Tamper Resistant Surface Style Cover Assembly


Available in die cast aluminum with a painted black (CRFBBTCBKTR), brass (CRFBBTCBSTR), nickel (CRFBBT CNKTR), bronze (CRFBBT CBZTR) or gray (CRFBBT CGYTR) finish. No cutouts are provided. Lid has built-in key locking feature for tamper resistance.

CRFBBTC Surface Style Cover Assembly


Available in die cast aluminum with a painted black (CRFBBTCBK), brass (CRFBBTCBS), nickel (CRFBBTCNK), bronze (CRFBBTCBZ) or gray (CRFBBTCGY) finish. No cutouts are provided for floor coverings.

8CTC* Surface Style Cover Assembly

Die-cast aluminum cover assembly. Cover assembly is available in the following painted finishes: black (8CTCBK), gray (8CTCGY), nickel (8CTCNK), brass (8CTCBS), or bronze (8CTCBZ).

CRFBCTCTR
Tamper Resistant Surface Style Cover Assembly

Available in die cast aluminum with a painted black (CRFBCTCBKTR), brass (CRFBCTCBSTR), nickel (CRFBCTCNKTR), bronze (CRFBCTCBZTR) or gray (CRFBCTCGYTR) finish. Lid has built-in key locking feature for tamper resistance. Insert areas allow for tile or carpet cutouts to match finished floor.

8CT* Flush Style Cover Assembly

Die-cast aluminum cover assembly. Cover assembly is available in the following painted finishes: black (8CTCBK), gray (8CTCGY), nickel (8CTCNK), brass (8CTCBS), or bronze (8CTCBZ).

* Add suffix "TR" to the end of the part number to indicate tamper-resistant cover assembly. Tamper-resistant versions are secured with a single tamper-resistant screw.